

INO LOCKING SYSTE

CASINO LOCKING SYSTEMS

Security Solutions



Advisory services of key & lock planning and administration thereof.

Suppliers of all casino-locks & locking systems such as: trolleys, seals and sealbags, cash&tip boxes.

Specifically for the casino-industry, specialising in both Table Games and Slot Machines products.







www.casinolock.com

CASINO LOCKING SYSTEMS

Contents

ABOUT US	2.	Preface					
VPC01 03	3.	Profile 1 - C1CLS					
	4.	Profile 2 - CLS					
LOCK	5.	CLS Key and Lockplanning					
PLANNING	6.	Lockchart					
	7.	Sample Lock plan 1					
	8	Sample Lock plan 2					
	9.	Blank Lock plan					
LOCKS	10.	CLS Locks - Exclusive					
	11.	CLS Locks features					
	12.	CLS Security locks					
	13.	CLS Locks - additional parts					
TROLLEYS	14.	CLS trolleys - intro					
	15.	Cash & tip box trolleys					
	16.	BV - Stacker box trolleys					
	17.	Seal bag trolleys					
	18.	Pitstand trolleys					
	19.	Soft box trolley / Soft cash & tip boxes					
	20.	Cage trolleys					
	21.	Tray trolleys					
	22.	Custom made trolleys					
SEALS AND	23.	Seals & seal bags - intro					
SEAL BAGS	24.	Seals					
	25.	Seal bags (1)					
	26.	Seal bags (2)					
CASH AND	27.	Security cash and tip boxes					
TIP BOXES	28.	Standard cash and tip boxes					
KEY SAFES	29.	Electronic keysafes: Traka Touch					
CUSTOM SAFES	30.	TRAKA Touch Specifications					
MISCELLANEOUS	31.	Electronic keysafe: Traka21					
	32.	Standard key cabinets					
	33.	Key rings					
	34.	Custom safes					
INSTALLATION AND	35.	CLS installation					
REFERENCES	36.	References (1)					
	37.	References (2)					
	38.	References (3)					
	39.	References (4)					

Office: Reinier Rondhorstdijk 32,

3059 SM Rotterdam The Netherlands

Phone: +31(0)10 228 16 51 E-mail: info@casinolock.com Showroom/workshop: Ondernemingsweg 40, 2402 HN Alphen aan den Rijn

The Netherlands Phone: +31(0)172 75 45 85 E-mail: info@casinolock.com



The **Industry** Has found The key...

There is no doubt that keys and locks are vital to the casino industry. Despite their evident importance, almost none of the casino organisations have a real key & lock plan which is a unique service that suppliers of casino parts usually do not provide.

35 years of experience in lock smithing and casino expertise come together at CLS, who has supplied its unique services to a multitude of casinos in Europe and overseas.


CLS makes the key and lock plan according to the procedures and different employees on the floor of each individual Casino.

CLS assembles the keys and locks in their own premises, enabling fast efficient and secure service. CLS prefers to work with BiLock a high security locking system with patented key, developed and manufactured in Australia



The widest range of lock-types







Money will be saved...

The CLS solution...only one key per employee!

CLS has the widest range of lock-types to ensure a solution for all the applications, both for slots and table department as well the building.

All the employees end up with only one key each.

This is a basic safety feature and preferable to large bunches of

Each department or sensitive key has an individual coloured key head which helps to keep good control of keys.

Costs will be saved having one system installed directly by all the different suppliers.

In this way several successful projects have been completed including Casinos Austria International and Holland Casino International.

Money will be saved in the future when a code of a lock has to be changed due loss of a key or based on new procedures. Cores and keys with a new code can be made, shipped and installed in the Casino in seconds with a special Quick Change Core-key. This all without dismantling and assembling the total lock from the machine.



Who's CLS

CLS was founded in January 1999 as a joint venture between Sjaak van der Meer and Ronald Brouwer.



Sjaak van der Meer

Sjaak van der Meer and his company,

Van Der Meer Sleutelservice, have been in the locksmith business for more than 35 years. Since 1984, van der Meer Sleutelservice has been chosen as supplier of locking systems to Holland Casino when they started developing their own systems for the table game department.

Since 1991, van der Meer Sleutelservice has been supplying all the keys and locks for the various Holland Casino buildings and since 1995 also all security locks for the slots department.



Ronald Brouwer

Ronald Brouwer worked with Holland Casino for almost 13 years with the last 9 years spent in the gaming department at Holland Casino headquarters. He was responsible for all gaming equipment, procedures and processes, R&D and installations in the casinos, and was instrumental in the opening of 11 new casinos. During that time, in close consultation with Van Der Meer Sleutelservice, they developed many solutions to problems relating to locking systems for gaming tables, slot machines and building security.

Having started with Holland Casino more than 35 years ago, CLS have in the meantime supplied their locking systems solutions to casinos all over the world counting international groups such as Casinos Austria International, Admiral Casinos,

Merkur Spielbanken, Swiss Casinos, Aspers Casinos and Casino Cosmopol to their valued customers.

Why CLS

CLS provides an integral security concept for your casino operation.

As a reliable partner, CLS provides professional expert advice and offers custom-made solutions.

CLS perfectly combines expertise in lock smithing with in-depth knowledge of the casino industry and its specific security issues. This unique combination assures casino owners and directors of the best and most efficient solution to any locking problem.

CLS stands for fast, efficient and secure service as they hold sufficient stock to meet customer needs, cylinders and keys are assembled on their own premises to guarantee fast delivery around the world.

CLS provides the full range of products for the protection of your funds such as locks and keys, cash and tip boxes, coin cassettes, security seals, seal bags, key safes, safes, trolleys and anything else you might require containing a lock!

How does CLS work

CLS will issue a key & lock plan according to your requirements and security concepts.

Whenever possible, CLS coordinates the factory fitting of the locks with the various manufacturers. Costs will be saved by having one system installed by all the different suppliers to your casino.

In order to guarantee a smooth installation CLS also ships its toolset which is a mobile workshop with the delivery of goods. Apart from all the necessary tools the toolset contains extra locks of all the models. These can be used for on-site installation of extra lock positions should that be necessary.

Just before the opening specialists of CLS come on site to fit the last locks. All the different coded lock-plugs are installed into the lock-housings. Accessory parts or equipment are installed like key safes, cash and tip boxes, trolleys and others.



...How does CLS work

At the end of the installation process, the responsible technicians of the casino receive a technical training. The keys in operation and spare keys are organised in the key safes and the systems master/installations key is handed over.

CLS locking systems can be easily maintained by the local technicians. Thus the casino is self-supporting and does not need a service contract nor the return of CLS specialists to the site.

CLS offers another major advantage with a special Quick Change Core-key. If a lock code has to be changed due to loss of a key or based on new procedures, cores and keys with a new code can be installed in the casino in seconds with a special Quick Change Core-key without having to dismantle and re-assemble the entire lock from the machine.

Why Key And Lockplanning

CLS makes the key and lock plan in cooperation with casino owners/directors and according to the procedures and different employees on the floor of each individual casino.

All the employees are provided with only one single key. This is a basic safety feature and preferable to large bunches of keys.

One person with his own individual key may access different applications.

Locks can be programmed to be opened with several different keys or by employees of different departments if and when required.

Index Next Pages

- Sample of a lock chart (key & lock plan)
 The matrix is a sample of a casino key & lock plan.
- Samples of a slot machine key & lock plan
 Two samples are attached to visualize a slot machine key
 & lock plan, plus an empty lock plan for your
 convenience!




Below you'll find a sample of a lockchart. According to the procedures in the Casino the lockchart will vary. The lockchart tells you on one side all the different keys and key-users on the other side all the applications.


The crossings in the **lockchart** tells you which person/key has access where. One person with his individual key can have access into different applications. Locks can be programmed to be opened with several different keys where required.

28		9	4.4	h 45	-ch		4.4		7		T		5 0						88			397	Customer Contact City:	Org.date Corr date	hone: +3	CASINO	
n			Ĩ	ľ		٦	ï			T	Ī		2 20	22	5/6	On .	П	ï		П	3.5	g an No	og .	16	(0)	0	<u>a</u> 2
reception 3	reception 1	Sewing machine	cashier CD 7	casher CD 5	cashier CD 4	cashier CD 3	casher CD 2	Ass. Backoff cashler	Back office cashier	Security	Task St. CT Countroom	Task CT Countroom	Task CB sleeve	Task St. CT Clearance	Signaturdant	Technician	Changeur BC 2	Charpert RC 1	TAN 3	THAT	Tablemanager	Dulymanager	Casino Locking Systems Renier Rondhorstdik 33 3059 SM Ronterdam The Netherlands Keyname / User	20-07-2001 Pa 16-02-2005 A1	the Netherlands phone: +31 (0)10 2281651 fax: +	LOCKING S	LOCKCHAKI Systemar
GOLDISIE	GOLDIBRA	FLARIA	DGRWBRN	JISMBS6	DGRWPNK	DGRNOR	DORNRED	LGRNDGR	LIGREEN	Jaken d		FLYELL	PINK		WOTTER	ORANGE	ranar	LBUGAN	PROUBL PROUBL	TBUYEL	TI BLUE	SILVER		/ Position	nds fax: +31 (0)10 2281698	SYSTEMS &	Bllock 12pin L
Ì	20	Ì	Z.	Ť	× ×	Ì	9.6	- 20		1	Ť	Н	Ť	Ħ	Ť	.,	Ħ	Ť	Ħ	t		۲.	XX 26xTABLES wheel cover AR/FF		C01	10	cam 1-1/8
H				ŧ			ŧ	Ė	H	-	ŧ				Ì	П	1	Ŧ			i		traylock all tables traylid A/2 spare		03	21 23	cup 2 push N
Н	+	H	Н	Ŧ	-	H	+	H	Н	+	+	Н	+	H	+	Н	Н	+	Н	+	-	н	traylid B/2 spare floatcase FR/BC/P	SA	02	9	push N push N
	Ŧ	H	Н	ł	Н		Ŧ	H	Н		+	Н	+	Н	H	Н	Н	-	Н				floatcase FR/BC/P traycabinet panel A		02	9 7	push N push N
	1		Н	ł	Н		H	F	Н					П	H		H		H				cover colourchips	AR	03 C02	7 9	push N cam 1-1/
												×											1xC&T/TCD/2REC 1CONT/3SLOTS/3 1REST/3+1-SSPAI Cashbox sleeve Cashbox content Troncbox sleeve	/1xWR F&B	16 17 16	0 0 0 32 32 54 54	cam 5/8" cam 5/8" cam 5/8"
İ	Ħ	t	Н	İ				ŧ	Ħ	1		О		П	1	Ħ	H	İ	Ħ	ı		#	Troncbox content C&T box trolley		17 18	3	cam 5/8*
t		t	Н		t			t	Н	Ħ	Ť	t	Ť	t	Ť	Ħ	t	t		t			XXPitstand 3+1PK		645	0	
t		ľ	Ш					t	Н			Ш				Н	Н				Н				C03	1	cup I
Ŀ				1					1					Ш		Н			В	ď			A STATE OF THE PARTY OF THE PAR		04 05	1	cup 1
H	H	H	Н	+	H		+	+	Н	Н	+	+	Н	Н	+	Н			o		Н		chips PS N3 A chips PS PK A		06	1	cup 1
	П	I	П	4	I			Ŧ		П	Ţ.		Ш	П	1	П		П		L			chips PS all B		02	4	push N
H		H	Н	+	÷		+	+	н	Н	+	t	H	Н		H		Н	Н				cards PS N1 A cards PS N2 A		05	1	cup 1
F	П	T	П	Ŧ	Ŧ	H		Ŧ	F	П		F	Н	Т	П	П	T		-	T	П		cards PS N3 A cards PS at B		06	1	cup 1 push N
t		1	П		t			t		П	İ	Þ	Ш	L	Ш	П	н			1	Π	П			W.	0	- positive
٠		H	Н	+		Н	+	٠		Н	+		н	Н			Н		+		Н		XX 350x SLOTS auditheset/jackpot		C04	525	switch
П	П	T	П	I		E				П		11	ш			1	Т			Т			main-top-bellydoo		C05	587	cam 5/8
Н	Н	+	Н	н	Н	Н	Н	+	н	Н		н	Н	•	4			Н	н	1	Н		main-top-bellydoo CPU	-	C05	189 364	cam 1-1/ cam 5/6"
t		I.	П	Π	I		П	Ι	I	П	7	I	П		1	ш	Т		П	1			BV sleeve/BV doo		C06	350	cam 5/8"
+	Н	+	Н	+	+	-	-	+	+	Н	+	۰	Н	+	-	+	+	Н	-	+	Н	-	BV content BV content SPAR		13	371	cam 5/8*
İ	Ш	t		1	Ш		П	Ť	т			ш			1	ш	1		ш			- 13	Drop upright		15	222	cup 1
	П	F	П	1	F		П	I	H	П		F			H			H	Н	1	П	1 3	Drop slanttop		15 15	75 74	cam 5/8*
								1	H			1						H		1	Н		Drop slanttop Drop technique		11		cam 1-10 cup 1
I	П	Т	П	П	T	П		Т	P	П	1	П	П	Т	П		Т			T						0	
F	Н		Н	+	+	H		١,		Н	+					+			+	1	Н	-	XX JPS 2x hopper		C13	2	cam 1-1/
I	П	1														ш					ш		cass, notes in		21	2	cam 5/8*
+	Н	1	-	-	1		-	1		-	4	-		+	-	+	+	Н	-	+		-	cass, notes out2x	8	21	16	cam 5/8*
	Ħ					Ħ										\pm					Ħ		XX Trolley BVsea	bag		0	
-	П	F		1	F	F	П						H			П	1	П					door A		18	1	cam 5/8*
+	H		Н	+	+	H		+	H	Н	+	f	H			++	1	Н		-	H	1	door B XX CAGES		17	0	cam 5/8*
-		T	T			Г				♬		Т					1			1			CAGE 1 NO		Lake .	0	Access
				4	T				F	\square		F	H				-	H		-		- 1	moneybox moneybox fliplid		23 23	1	cam 5/8*
T	Н	- 11													- 1			- 1					THE REPORT VALUE OF THE PARTY OF				
I	H	Ŧ			t		3		t	П	Ħ		Ħ										drawers notes		23	1	switch













With this blank copy you can fill out your own key & lock plan depending on the local situation.







CLS prefers to work with BiLock *Exclusive*, a high security locking system with patented key (2019-2034).

Advantages of the Locking system

Interchangeable lock-plug for maximum flexibility. Locks can be fitted at the various manufacturers by means of a special test key without having to use the original keys.

If a lock code has to be changed due to loss of a key or based on new procedures, cores and keys with a new code can be installed in the casino in seconds with a special Quick Change Core-key without having to dismantle and re-assemble the entire lock from the machine.

This new system features two additional codes on the key which provides unprecedented protection. Now the exclusive factory allocated codes mean unprecedented key control and ultimate security.

Enhanced drill, penetration and bump protection.

The addition of a high tensile steel anti-drill barrier as standard protects BiLock Exclusive plugs against drilling and other forms of penetration



Security Locks only opened with the original key.

Restricted key cutting and key issuing.
All different Casinos have different keys.

One person controls all locks with one key only.

Different key-head-colors, indicate different levels of access

Exclusive Patent Patented key (2019-2034), ensures that duplication is limited to

authorised dealers

New Generation Patent Patented key 1999-2019

Installation time Lock size is based on lock-hole in slot-machine.

A variety of different lock types are available to suit all different types

of slot machines, table equipment and accessory products.

QCC Interchangeable Quick Chance Cores represent major advantages for the casinos:

"Lock bodies" are installed into the machines by the manufacturer

without original keys.
"Lock plugs" with original keys are sent directly to the casino which

can be installed in seconds on site. QCC minimizes lock installation time in the casino and provides ad-

Changes in lock combinations can be made in seconds by replacing the lock-plug when e.g. a key is lost or personnel or procedures change.

Service Excellent after sales service from both dealer and factory.

ditional security during the installation.

Technical specifications

Tamper resistant A high level of pick resistance by means of a patented key system with

false holes in pins to resist picking.

Durability Fewer moving parts and stronger keys ensure a higher durability.

Simplicity Easy use and minimum maintenance.

Maintenance Easy access to lock-plug saves time.

Flexibility Many combinations means large master key systems re-pinnable

lock-plug gives the lock a "longer life", when new procedures "change the lock" Minimum order quantity for custom-made locks when re-

quested

Compatibility Standard cylinders can retrofit most hardware





- Nr. SAM 3226 Q BiLock's "manufacturing-key or test-key"; Fits at all the locks (without the plug)
- Nr. APL3326QCP BiLock's Exclusive high security
 Quick Change Cores Plugs. With two stainless steel side-bars. (2019 >)
- 3. Nr. APL3226QCP BiLock New Generation high security Quick Change Core plugs'. With two side-bars (1999 >)
- A. BiLock's Exclusive; patented key with coloured keyhead
 B. BiLock's New Generation; key with coloured keyhead.
- QCC key A. BiLock's Exclusive; Quick Change Core key.
 B. BiLock's New Generation: Quick Change Core Key
- 6. Key Color coding; for BiLock Exclusive/New Generation key
- 7. Nr. A33279 QCP Cam lock 5/8": 18

Cam lock 5/8"; 18,5 mm. left or right opening direction, 90 or 180 degrees opening.

8. Nr. A33259 QCP

Cam lock 7/8"; 22 mm. left or right opening direction, 90 or 180 degrees opening.

9. Nr. A33899 QCP

Cam lock 1-1/8"; 29 mm. left or right opening direction, 90 or 180 degrees opening.

10. Nr. A33279 DQCP

Cam lock 5/8"; 18,5 mm. left or right opening direction, 90 or 180 degree opening. Key removable in closed and open position

11. Nr. A33899 DQCP

Cam lock 1-1/8"; 29 mm. left or right opening direction, 90 or 180 degrees opening. Key removable in closed and open position

12. Nr. A25213-8

Euro profile knob cylinder; K0x35 mm

- 13. Camlock + add on switch

 Add on switch; fits on all standard cam locks
- 14. Nr. C1411

Switch for cam lock; 90dgr. Right = off>on, 90 dgr Left = off>on

- **15.** Nr. C1410 **Switch for cam lock;** 90 dgr. Right = off>on, or on>off (2016,04: centre in yellow)
- 16. C14A: Wire for switch C1411 & C1410: length 50 mm with 3 mm female and 6 mm male connector C14B: Connectors for C1411 & C1410: Loose 3 mm female connector to be crimped on machine wires.
- 17. Nr. A0159 QCP Switch lock; off>on, or on>off
- 18. Nr. A25211-8 Euro Profile cilinder; single 0x35 mm
- **19** Nr. A0311 LQCP

Cupboard lock; latch function, locks without use of the key

20. Nr. A0311 QCP

Cupboard lock; deadbolt function, key retained in open position

21. Nr. A0311 DQCP

Cupboard lock; deadbolt function, key removable in open position

- 22. Nr. A0278 QCP Push Lock; locks without use of key
- 23. Nr A0186 QCP Hook lock; locks without use of key
- 24. A: Nr. 116PC50: Burgwaechter padlock for profile cilinder: Shackle 8 mm B: Nr. A0172 QCP: BiLock padlock: Shackle 5,5 mm





1. Straight Cam

- A: CM301571 work.length 25,4 mm. **D.** CM301576 work.length 41,3 mm
- **B.** CM301578 work.length 28,6 mm **E.** CM301579 work.length 57,2 mm
- C. CM301574 work.length 31,8 mm

2. Offset Cam 7,5mm (A/B/C) 14mm (D), hole in line

- **A**: CM301549 work.length 27,5 mm. **C.** CM301559 work.length 40,0 mm **B.** CM301555 work.length 35,0 mm
 - D. CM301569 work.length 38,0 mm
- 3. Offset Cams 7,5 mm, hole across

A: CM301550 work.length 27,5 mm. C. CM301560 work.length 40,0 mm

B. CM301556 work.length 35,0 mm

4. Stop Plate

A: PA30151; 90 dgr. **B.** PA30152; 180 dgr. **C.** PA30153; 90 dgr. Left + right (for switch C1411)

- A: NU30153; normal small nut for camlock
- B. NU30152; low small nut for camlock
- 6. Big Nut; NU30151; big nut for camlock

7. Spacer Collar for Cam Lock

- **A**: C2015; 1,5 mm
- D. C2070; 7,0 mm
- **B.** C2020; 2,0 mm E. C2105;10,5 mm / C2122; 12,2 mm
- C. C2030: 3.0 mm
- 8. Anchor Plate; C3010; 32 x 32 mm for camlock at wooden door
- 9. Anchor Plate; C3015; 32 x 50 mm for camlock at wooden door
- 10.Spur Washer; C3020; 34 x 19 mm for camlock at wooden door (soft)
- 11. Lock Washer; C3030; 31 x 19 mm for camlock at metal door

12. Lock Washer:

A: NU3040; lock washer; for small nut of camlock B. NU3045; lock washer; 0,6 mm to adjust cam positiom C. NU3050; washer 1,2 mm to adjust cam position

AD3286; for camlock 1-1/8" (12 pin to 8 pin plug)

A: C3040; steel 34 x 19 mm B: C3045; stainless steel 30 x 19 mm

15. Winglock 16 mm - 5/8" Winglock 22 mm - 7/8"

16. Winglock 29 mm - 1-1/8"

17. Blind Cover

C3060; to cover the hole of a cam lock

18. Dom Adaptor

C3050; to change a DOM cam to a standard cam

C4010; 1,5 mm for cupboard lock

20. Strike Plate;

C4020; cam locks & cupboard locks

A: C4030 shaft collar; normal collar for push locks & cupboard locks B: C4035 shaft collar; high collar for cupboard locks (doors > 24,0 mm)

22. Cover Plate;

C4040; 65 x 65 mm, for cupboard locks

23. Locking Plate;

A: C4050 locking plate; for hook lock, gold plated B: C4055 locking plate; for hook lock, chrome

24. Lock Spray; C4060; special spray for locks and lock plugs







CLS develops all kinds of trolleys - either standard or custom made - to transport your valuable funds.

Our trolleys provide the perfect combination of functionality, security and cost-efficiency.

High quality wheels guarantee smooth and easy transportation, while ergonomic handles, powder-coated frames, magnets on the doors, rubber on the shelves and of course your own lock-plan security lock all provide a first-class and durable product.



CLS has a unique mechanism that securely locks the cash & tip boxes into the trolley. This is the most secure way to transport the boxes from the gaming floor to the vault/count room. No key is needed to lock the boxes into the trolley and the trolley key can then release all the boxes simultaneously for the count. This key is your second level of security.

Cash & Tipbox Trolleys

- Box locks automatically (no use of key)
- Central locking system releases all boxes
- 4 swivel wheels, 160 x 50 mm
- 2 ergonomic handles
- Top frame on tip box trolley for X-small boxes









CONFIGURATIONS

• Cash: 12 / 16 / 20 boxes

Tip: 12 / 16/ 20 boxesTip: 24 / 32 / 40 boxes

Cash & Tip: 6 + 6 boxes
Cash & Tip: 8 + 8 boxes
Cash & Tip: 10 + 10 boxes





CLS BV trolleys are used when working with a double set of stacker boxes. The trolleys are heavy-duty format and available in different sizes. Each trolley is equipped with two or four doors (180 degree opening) for easy access. Each shelf holds 10/12/20 BV-boxes from any supplier.

BV-Stacker box Trolleys

BV-stacker box trolley, 40/48/60/80/100 pcs

- Size BV 60/80/100: 120/134 x 50 x 100/125/150 cm's (L x W x H)
- Size BV 40: 60/74 x 50 x 125 cm's (L x W x H)
- Size BV 48: 70/84 x 50 x 125 cm/s (L x W x H)
- Size BV 60: 70/84 x 50 x 149 cm's (L x W x H)
- 2/4 doors, 180 dgr. opening, inc. magnet
- 1 or 2 push locks at each door
- Rubber on shelves
- 4 swivel wheels, 160 x 50 mm
- 4 ergonomic handles



















CLS seal bag trolleys are used when working with a single set of stacker boxes. The boxes are emptied onto the top of the trolley next to the machines and the contents are put into a disposable, transparent bag. The bag is then dropped into the top opening of the trolley. Once in the trolley, access to the bags is prevented by the top security panels. The container holds 80-100 bags. This trolley is available with a larger/smaller size or double container, on request.

Seal Bag Trolleys

- Standard size: 90 x 45 x 90 cm (L x W x H)
- Drop-in opening at top, security shields for antipicking of the seal bags
- Double side doors with 3 bars, 1 or 2 cam locks
- 1 ergonomic handle
- 4 swivel wheels, 100 x 35 mm

















This trolley holds various components such as chip racks and bags with coins/tokens. It is used as a fill and credit trolley for the pit stands, tables and hopper refills. Four strong swivel wheels and handles on both sides ensure easy transportation. The trolley features two doors, 180 degree opening, each with two push locks for double security.

Pit Stand Trolleys

- Size: 90 x 56 x 98 cm (L x W x H)
- 2 doors each with 1 or 2 push locks
- 3 shelves
- 4 swivel wheels 195 x 50 mm



- Size: 92 x 56 x 100 cm (L x W x H)
- 2 doors each with 1 or 2 push locks
- 20 drawers each for 2 chip racks of 300 chips
- 4 swivel wheels 160 x 50 mm
- 4 ergonomic handles





Each drawer holds two (Holland Casino) chipracks of 300 pcs.




The soft cash and tip boxes are developed to safe weight up to 75%. The advantages are its ergonomic aspect as well as less damages to table tops. The box is made from a very strong PVC coated nylon, PVC frame and stainless steel door. The sliding mechanism is also made of stainless steel for smooth operation. A security mechanism protects the opening in the box from fraud during transport. Together with the especially developed soft box trolley, you have a lightweight and secure solution for the clearance of your table boxes.


Soft Boxes & Trolley

- Shield large cash-box: 310 x 212 x 210 mm
- Shield midi cash&tip-box: 228 x 212 x 210 mm
- Shield mini cash&tip-box: 228 x 212 x 155 mm
- Trolley: 120/134 x 63 x 120 (L x W x H) cm
- Trolley holds 20 cash and 20 tip-boxes

















CLS cage trolleys are used to transport the heavy chips securely between the cage and the vault. Four strong, high-quality swivel wheels and a handle ensure easy transportation.

Cage Trolleys

- A: This trolley has 4 drawers
- B: This trolley has 3 drawers
- The trolley has a central locking system which locks all drawers at once.
- The locking system can be locked with 1 or 2 locks.
- Size: 87 x 45 x 90 cm (L W H)
- Size drawer: 55 x 37 x 15 cm (L W H)
- Four swivel wheels 100 x 35 mm



- Custom made cage trolley
- Used under desk with a wooden drawer
- The trolley has a central locking system which locks all drawers at once.
- The locking system can be locked with 1 or 2 locks.
- Size: 65 x 50 x 63 cm (L W H)
- Size drawer: 56 x 47 x 16 cm (L W H)
- Four swivel wheels 80 x 35 mm



- Handle for easy transportation (see above)
- Handle can be lowered when used under desk



CLS chip tray trolleys are used to transport the heavy chip trays securely between the tables and the vault. This trolley protects your expensive trays from damage and extends their life-span.

Four strong, high-quality swivel wheels and handles on both sides ensure easy transportation.

Tray Trolleys

- Tray trolley for 12 standard chiptrays (TCSJH/Abbiati)
- Two doors on each side for easy access
- Central lock on each set of doors, also double locking possible
- Strong, high-quality swivel wheels for easy manoeuvrability in count room















Trolley for 2x7 special Holland Casino chip trays



In case you have special requirements, CLS develops custom-made trolleys. Below some examples

Custom Made Trolleys

- 1. Count room trolley
- 4 compartments for standard Bank cassettes
- 5 drawers each for two chip racks
- 5 lockable compartments for cash cassettes money changers:
 CCC, JPS, Scanmad, CAION
- 2. Table adjustment trolley
- 8 drawers for cash and chip racks
- 3. Cashbox trolley
- Two shelves for MARS automatic security cashboxes
- 10 compartment for CLS security cashbox
- 4. Tip box trolley
- Trolley for 24 standard tip boxes







Detail of cashbox trolley













Easy Grip seal

Utilised at discard holders, wheel covers, note cassettes, CPU tray-doors One direction sealing making it impossible to apply seal incorrectly. Seal made of Polypropylene.

- Minimum order: 1,000
- Numbered: yes, sequentially
- Breaking strength of approx. 15 kg
- Colour: yellow in stock • Diameter tail: 3,0 mm
- Length tail: 190 mm / 140 mm operational
- Minimum order: 1,000
- Numbered: yes, sequentially
- Breaking strength of approx. 10 kg
- Colour: yellow and white in stock
- Diameter tail: 2,5 mm
- Length tail: 210 mm / 170 mm operational





SpringLok seal

- utilised at discard holders, wheel covers, note cassettes
- Self locking all plastic padlock seal with unique hinge design
- Easy to close one hand operation
- Quick & easy to remove by twisting at break-point on spear
- Hinge springs open to show evidence of tampering
- Minimum order: 1,000
- Numbered: yes, sequentially
- Colour: yellow at stock (also blue, green, red)



Harclip seal


- Used for whole range of sealed bags and cassettes.
- Maximum security through double legs on seal.
- Minimum order: 1,000 Numbered: yes, sequentially
- Colour: yellow/red/green/blue/white in stock.



Envopack seal

- Used to secure Reveal A Seal cover
- Minimum order: 250
- Numbered: yes, sequentially
- Colour: white in stock

(also available in blue, green, red, yellow)



Cashier seal

- Utilised at fi. coinbags
- Quick and secure
- With tear line for easy breakage
- Used with Harcor Tension Tool (A) for easy tighten
- Minimum order 1.000 pcs
- Numbered: yes, sequentially
- colour : red in stock
- diameter tail: 6 mm / lenght tail: 150 mm







CB6: Card bag for 6 decks of cards

- Elastic strips for 3 decks on each side.
- Zipper along 3 sides for easy use, TEC8 chamber secured using the Harclip seal
- Material: PVC coated nylon, Plastolene wide weaved/transparent
- Also available: Plastolene
 Size: 225 x 120 x40 mm



CB8: Card bag for 8 decks of cards

- Elastic strips for 4 decks on each side.
- Zipper along 3 sides for easy use, TEC8 chamber secured using the Harclip seal
- Material: PVC coated nylon, Plastolene wide weaved/transparent
- Also available: PlastoleneSize: 290 x 120 x 40 mm



K11: Glass see-through key bag with tag-holder.

- Also utilised for roulette balls and master aproms
- TEBCO chamber secured using the Harclip seal
- Size: 175 x 110 x 40 mm
- Glass see-through transparant



TOCB: Top open cash bag with tag-holder.

- Zipper along 3 sides for easy use, TEBCO chamber secured using the Harclip seal
- Size: 280 x 200 x 50 mm
- Colour: green in stock (also available in blue)



TOCB: Top open cash bag with tag-holder.

- Zipper along 3 sides for easy use, TEBCO chamber secured using the Harclip seal
- Size: 280 x 200 x 50 mm
- Glass see-through transparant





NB: Note bag

- Holds approx 150-200 notes
- TEBCO chamber, secured using the Harclip seal
- Size: 290 x 130 mm
 Colour: green in stock (also available in blue and clear)



HG4: Till bag with handles

- Size: 457 x 356 x 102 mm
- TEBCO chamber secured using the Harclip seal
- Colour: blue in stock (also available in green)
- Utility bag
- No handles
- Tec8 chamber secured using Harclip seal
- Size: 380 x 280 x 100 mm
- Colour: blue in stock





Reveal A Seal square

- Secure cover for door locks, cabinets etc. (fi. sensitive key safes).
- Sealed using the Envopack seal.
- Size: 52 x 52 x 15 mm



Envopack Seal


- Sequentially numbered
- Each container contains 250 pieces
- Minimum order 250 pieces



The coin cassettes

have been developed for bulk coin, replacing the old style cloth bags with a more modern look and function. In use in casinos worldwide the cassette is produced from a clear Polycarbonate material allowing for visual audits. The cassettes are stackable when full and nestable when empty which is ideal when space is at a premium.

Coloured lids secured using the Harclip seal





CLS security cash & tip boxes are available in three sizes. The boxes have the unique locking mechanism for our trolleys. The box locks automatically into the table shield and the slot closes automatically when released. The inner sliding mechanism is made of stainless steel for smooth operation. The box has a black powder-coated finish.

Mini security cash or tip box and shield

• size of shield: W x D x H: 215 x 212 x 166 mm



Security cash box and shield.

• Size of shield: W x D x H: 215 x 314 x 217 mm



Jumbo Security cash box and shield.

• Size of shield: W x D x H: 215 x 314 x 320 mm




Sliding mechanism

- made of stainless steel
- locking mechanism at the back for CLS trolley



CLS tip box with attractive stainless steel top lid and bottom door.

Box slides into top opening and can be used as table-tip box and in reception and cage areas.



TIP BOX A

- Size of box: 100 x 100 x 100 mm
- Size of lid: 120 x 120 x 2,0 mm
- Size of opening: 50 x 6 mm

TIP BOX B

- Size of box: 100 x 100 x 200 mm
- Size of lid: 120 x 120 x 2,0 mm
- Size of opening: $50 \times 6 \text{ mm} / 80 \times 10 \text{ mm}$
- with 20 mm lifting hole


TIP BOX C

- Size of box: 120 x 120 x 300 mm
- Size of lid: 140 x 140 x 2,0 mm
- Size of opening: $80 \times 10 \text{ mm} / 50 \times 6 \text{ mm}$
- with 20 mm lifting hole

With a set of rails the box can be used underneath the table top. (2xA)
With a special rail (B) the box can be locked to the table. (A+B)



Standard rail



Rail prepared for pushlock





Traka Touch Pro is a sophisticated key management system that has intelligence built in. It can operate as a standalone solution that requires no IT network or server to manage the database. Alternatively it can be networked with our enterprise solution 'TrakaWeb'. A full audit trail of all key transactions is retained within the system by the internal solid state memory. Management of the system had never been so easy.

Pro M-Series

M-Series cabinets are for 10 or 20 keys. 10 key system may be upgraded to 20 key system.

Full range of easily options.

- Size (h w d): 395.5mm x 846mm x 160mm
- Weight: 22.4 kgs without keys
- Traka Web Pro software needs to be ordered with the cabinets



Pro S-Series

S-Series cabinets are for 10 to 60 keys Systems may be easily upgraded in modules of 10 key positions. Extension cabinets may be purchased to extend the number of keys managed by a single system to 540 key locations. Networking allows unlimited keys to be managed.

- Size (h w d): 751.5mm x 846mm x 160mm
- Including control pod: 675mm x 866mm x 140mm
- Weight: 35.1 kgs without keys
- Traka Web Pro software needs to be ordered with the cabinets.



Pro L-Series

L-Series cabinets are for 10 to 180 keys. Systems may be easily upgraded in modules of 10 key positions.

- Size (h w d): 1939.7mm x 846mm x 160mm
- Including control pod: 1904mm x 823mm x 150mm
- Weight: 79.5 kgs without keys
- Traka Web Pro software needs to be ordered with the cabinets.



Important:

Parts for Traka32 16 bit systems will be supplied until 5/2025.

Traka32 16 bit systems from 2012 and younger can be upgraded to a Traka Touch system .





TRAKA Touch Specifications

General

- Keys are readily available 24/7
- Access by authorised users only
- 7" touch screen
- Full audit trail of all users and key transactions
- Easy access via PIN code, card reader and biometric fingerprint reader
- Battery backup
- Soft close-down with no data loss in the event of long term failure

Standalone

- Cutting edge key management solution that operates entirely of your IT system
- Standalone 'plug and play' system
- No network, PC or external connection required
- USB port for import/export of reports via memory stick
- Automatic data back up to removable SD card

Networked

- Full network capability and management through TrakaWeb
- Centralised administration and reporting

TRAKA-TOUCH SPECIFICATIONS M/S/L

- Power supply: Input 100-240V AC, Output: 15V DC
- Battery backup: (S): DC12V-4.2Ah and (L,M): 12V-7Ah
- Power consumption: 35W max
- Cabinet material: Zintec steel
- Colour optiones: Black fine texture (TLP-F652-T)
- Door material: clear polycarbonate or solid metal
- Operating temp: Ambient, for indoor use only (-5 °C to +50 °C at 95% non-condensing relative humidity)
- Mounting Wall
- Receptor strip support: Locking, non-locking, with buttons, without buttons, double density (20 positions per strip), combination of both - all with Tri-colour LED's
- Users per system: 25,000 (more on request)
- Communications: Ethernet (TCP/IP) 10/100 MB
- Reader interface: Clock/data, Wiegand, Serial (RS232/TTL), PIN only
- Alarm interface: 3x1A/24V dry contact relay contacts for connecting to alarms, access control systems, CCTV etc.
- Certifications: CE, FCC, CSA, ROHS



For more information on Traka and the benefits of intelligent key cabinets, Please contact Casino Locking Systems. By mail: info@casinolock.com or by phone: +31(0)10 228 16 51



Traka21's innovative plug and play system provides small to medium size businesses with the very latest in intelligent key management. Simple, efficient and cost-effective, Traka21 helps trace and account for every key or keyset, which are individually locked in place, ensuring that critical business operations are never jeopardised.

Operation

- Stand-alone Plug & Play solution with advanced RFID technology
- Touchscreen interface
- PIN access to designated keys or keysets which are individually locked in place
- Keys are securely attached using special security seals
- Simple to configure through setup wizard
- No requirement for network connection or PC
- Concealed robust fixing points allow secure wall fixing
- Mains operated with optional battery backup

Features

- User, key and access rights administration
- Multilingual functionality
- Screen based audit trail and reportingcapability or export via USB port
- 1 robust, long-life iFobs with security seals
- 1 locking receptors with LEDs
- Robust and compact steel housing eliminates exposed hinges and obvious access points
- Manual override and door release functions in case of emergency
- Audible alarms

TRAKA21 Specifications

- Cabinet dimensions: (H)427mm x (W)246mm x (D)95mm
- Weight: 3.94kg
- Power supply: Input: 100-240V AC, Output: 15V DC
- Battery backup: DC12v 1.2Ah (optional)
- Power: 15v 0.7amp max
- Mounting: Wall

- Operating temp: Ambient, for indoor use only
- (-5°C to +50°C at 95% non-condensing relative humidity)
- Key positions: 21
- Users per system: 1,000
- Interface: PIN only
- Certifications: CE, FCC, IC





CLS standard key cabinets have the following specifications:

• Cabinet thickness; 1,0 mm,

powder coated steel

• Door thickness; 1,0 mm

• Standard lock with 2 keys

• Optional: Mauer Ell cam


• Optional: BiLock security lock





Mauer Ell cam

- Replaces the mechanical lock
- Available for all the standard keysafes
- PIN code: 4 digits
- Master code: 6 digits
- Minimal 15.000 openings per battery



The keycabinets are available in the following sizes:

VSK Key Cabinet with electronic lock

Type Key Cabinet	Size (H x W x D -mm)	# Hooks	Weight						
Standard key (Standard key Cabinet								
07.13.H10	255 x 190 x 80mm	10	1,7 kg						
07.13.H20	255 x 190 x 130mm	20	2,2 kg						
07.13.H35	305 x 230 x 80mm	35	2,5 kg						
07.13.H49	305 x 245 x 130mm	49	3 kg						
07.13.H64	450 x 300 x 80mm	64	4 kg						
07.13.H100	550 x 300 x 80mm	100	6 kg						
07.13.H150	550 x 380 x 140mm	150	9 kg						
07.13.H200	550 x 730 x 140mm	200	15 kg						
VSK Key Cabir	VSK Key Cabinet Electronic Lock and adjustable hook-strips								
07.11.E60	450 x 300 x 80mm	65	3,7 kg						
07.11.E100	550 x 380 x 80mm	100	5,5 kg						
07.11.H200	550 x 380 x 140mm	200	9,5 kg						



Once you have invested in a reliable key lock-plan, losing keys can still be a problem. CLS has several specific solutions for the loss of keys.

The Key Bak S48

is the perfect answer to your internal key loss problems.

Simply attach your keys to the Key Bak, and forget about ever losing your valuable keys again. It is also possible to use tamperproof rings as a key ring.



The Key Bak S48 Locks to carry more weight Unlock to extend Extension Cord: 1.2 mtr



The Key Bak Midi: Holds up to 5 keys Extension cord: 90 cm 360 dgr. rotating clip



The Key Bak Mini: Holds 1-2 keys or access control chip/card Extension cord: 90 cm


Tamper-Proof flexible key rings; this product eliminates any covert key removal and substitution. Once sealed, ring cannot be opened without detection. Each ring is engraved with a unique serial number.

The Sealing Mechanism

secures important keys in minutes. Tamper Proof key rings require the use of a unique crimping tool in order to be sealed. Key rings made of flexible cable protect your keys even better because the ring cannot be used as a "handle" to put too much force on the keys because of the twisting of the ring.

- Ring thickness: 2.6 mm cable, 4 mm seal.
- Diameter: 40 mm in stock
- (also available in 30, 50, 70, 90 mm)





Various coloured Labels and different sizes of key rings to identify your keys and store them in the spare-key safe.



The Belt Clip is a clever solution, enabling the key ring to be easily clipped on and off.



Two-Part-Keyring
Can be used to remove the
Key Bak from the tamperproof ring with the keys and
I-Fob when putting back in the
TRAKA.



CLS develops and manufactures custom safes to securely store your valuables. These safes are very strong with a door of 8 mm steel and a frame made of 30 x 20 x 3 mm tube and body of 3 mm steel. The locks are special safe locks working on a high security BiLock profile cylinder which can be part of your lock-plan. A rosette protects the profile cylinder for extra security. A lock from the BiLock range can be added for a second person.

The advantage of such a custom safe is to save on the transportation of the chips and floats etc. to the vault.



Safe for chip racks integrated into pit stand furniture. Detail: 4 drawers each for 4 chip racks of 200 chips



Safe for 10 standard TCS JH/Abbiati chaptrays or wooden Attaché flat cases. Detail: 5 drawers for each two units.



Safe for BJ chip trays integrated into pit stand furniture. Detail: Shelves for 10 chip trays.



Safe used at cage. Picture shows 2 separate safes mounted together. Each safe is suitable for one individual cage.



Standard safe with drop-in drawer, used in count rooms etc. Detail: 2 BiLock cupboard locks on door. size of compartment; 25 x 25 x 40 cms.

Also available in 25 x 50 x 40 cms.



CLS Guarantees a Smooth Installation

CLS coordinates for you the factory fitting of the locks as many as possible.


Finally in the casino the locking system has to put in operation.



Just before the opening specialists of CLS come on site to fit the last locks.

Then all the different coded lock-plugs are installed into the lock-housings.

Other parts or equipment is installed like key safes, cash and tip boxes trolleys etc.



Apart from all the necessary tools the toolset contains extra locks of all the models.

These can be used for on site installation of extra lock positions which were forgotten.

In this way CLS guarantees a smooth installation according to the present planning.



At the end of the installation a technical training is given to the responsible technical employees of the casino.

The keys in operation and spare keys are organised in the key safes and the systems master/installations key is hand over.



CLS locking system can be easily maintained by the local instructed technicians.

In this way the casino is self supporting and it is not necessary for the user to hire CLS for any work in the future. That's why a service contract is not needed.

CASINO LOCKING	0101EM0		REFERENCES			
CASINO	CITY	COUNTRY	Organization	#Lock		
Casino Knokke	Knokke	Belgium	Group Partouche	200		
Casino Oostende	Oostende	Belgium	Group Partouche	690		
Casino Chaudfontaine	Chaudfontaine	Belgium	Group Partouche	100		
Casino Dinant	Dinant	Belgium	Group Partouche	600		
Casino Viage	Brussels	Belgium	Casinos Austria International	3.900		
Casino Middelkerke	Middelkerke	Belgium		458		
Infinity Casino Casino Chaudfontaine	Oostende Chaudfontaine	Belgium	Chaudfontaine Losirs SA	1.400 235		
Gran Casino Los Angeles	Los Angeles	Belgium Chile	Casinos Austria International	2.000		
FerrouBi Côte d'Ivore	Abidjan	Côte d'Ivore	TerrouBi	270		
Casino City Zagreb	Zagreb	Croatia	Casinos Austria International	350		
Golden Sun Casino Zagreb	Zagreb	Croatia	Major Internacional / EGASA	750		
Golden Sun Casino Dubrava	Zagreb	Croatia	Major Internacional / EGASA	500		
Golden Sun Casino Dubrovnik	Dubrovnik	Croatia	Major Internacional / EGASA	500		
Casino Copenhagen	Copenhagen	Denmark	Casinos Austria International	338		
Casino Munkebjerg	Vejle	Denmark	Casinos Austria International	600		
Casino Vesterport	Copenhagen	Denmark	Casinos Austria International	200		
Casino Odense	Odense	Denmark	Casinos Austria International	84		
Casino Marienlyst	Marienlyst	Denmark	Casinos Austria International	88		
ortuna	Rodovre	Denmark	Elite Gaming	4500		
Grand Casino Helsinki	Helsinki	Finland	150 : 155	100		
Cruise Ship MV Renaissance	Le Havre	France	LB Cruiseops KFT	100		
Kurfürsten Galerie	Kassel	Germany	Spielbank Kassel	2.300		
Spielbank Bad Wildungen	Bad Wildungen	Germany	Spielbank kassel	1.750		
Spielbank Bad Homburg Bremer Spielcasino	Bad Homburg Bremen	Germany	Casino Bad Homburg Wicker & Co	1.150		
Das Kasino Reeperbahn	Hamburg	Germany	Spielbank Hamburg	1.150		
Automatenspiel Mundsburg	Hamburg	Germany	Spielbank Hamburg	650		
Automatenspiel Steindamm	Hamburg	Germany	Spielbank Hamburg	625		
Casino Esplanada	Hamburg	Germany	Spielbank Hamburg	1.350		
Spielbank Potsdam	Potsdam	Germany	Brandenburgische Spielbanken	650		
Spielbank Cottbus	Cottbus	Germany	Brandenburgische Spielbanken	700		
Spielbank Frankfurt Oder	Frankfurt (Oder)	Germany	Brandenburgische Spielbanken	450		
Spielbank Hannover	Hannover	Germany	Spielbanken Niedersachsen GmbH	342		
Spielbank Bad Bentheim	Bad Bentheim	Germany	Spielbanken Niedersachsen GmbH			
Spielbank Mainz	Mainz	Germany	Spielbank Mainz Trier Bad Ems GmbH &Co	1.615		
Spielbank Trier	Trier	Germany	Spielbank Mainz Trier Bad Ems GmbH &Co	298		
Spielbank Bad Ems	Bad Ems	Germany	Spielbank Mainz Trier Bad Ems GmbH &Co	284		
Casina Wiashadan	Wiesbaden	Germany	Spielbank Wiesbaden GmbH	1.900		
Casino Wiesbaden						
Automatenspiel Hasenheide	Berlin	Germany	Spielbank Berlin	681		
Automatenspiel Spandau	Berlin	Germany	Spielbank Berlin	614		
Automatenspiel LA-Platz	Berlin	Germany	Spielbank Berlin	870		
Casino Potsdamerplatz	Berlin	Germany	Spielbank Berlin	2.700		
Casino Fernsehturm	Berlin	Germany	Spielbank Berlin	1.600		
Casino Frankfurt Airport	Frankfurt	Germany	Spielbank Frankfurt	395		
Spielbank Feuchtwangen	Feuchtwangen Bad Reichenhall	Germany	Staatliche Lotterieverwaltung	900		
Spielbank Bad Reichenhall	Lindau	Germany	Staatliche Lotterieverwaltung	140		
Spielbank Lindau	Bad Füssing	Germany	Staatliche Lotterieverwaltung Staatliche Lotterieverwaltung	85		
Spielbank Bad Füssing Spielbank Bad Kissingen	Bad Kissingen	Germany	Staatliche Lotterleverwaltung Staatliche Lotterleverwaltung			
Spielbank Bad Kissingen	Bad Wiessee	Germany	Staatliche Lotterieverwaltung Staatliche Lotterieverwaltung	100		
Spielbank Bad Steben	Bad Steben	Germany	Staatliche Lotterieverwaltung	100		
Spielbank Bad Kötzting	Bad Kötzting	Germany	Staatliche Lotterieverwaltung	180		
Spielbank Garmisch Partenkirchen	Garmisch Partenkirchen	Germany	Staatliche Lotterieverwaltung	330		
Spielbank Stuttgart	Stuttgart	Germany	Baden-Würtembergische Spielbanken	1.544		
· · · · · · · · · · · · · · · · · · ·	-					
Spielbank Baden Baden	Baden Baden	Germany	Baden-Würtembergische Spielbanken	666		

References 1-58/221



CASINO LOCKING			REFERENCES	
CASINO	CITY	COUNTRY	Organization	#Locks
Casino Duisburg	Duisburg	Germany	Merkur Spielbanken NRW	4.150
Casino Hohensyburg	Dortmund	Germany	Merkur Spielbanken NRW	1.950
Casino Aachen	Aachen	Germany	Merkur Spielbanken NRW	400
Spielbank Bad Oeynhausen	Bad Oeynhausen	Germany	Merkur Spielbanken NRW	1.040
Spielbank Leuna	Leuna	Germany	Merkur Spielbanken Sachsen-Anhalt	960
Spielbank Magdeburg	Magdeburg	Germany	Merkur Spielbanken Sachsen-Anhalt	780
Spielbank Halle	Halle	Germany	Merkur Spielbanken Sachsen-Anhalt	719
Merkur Spielbank Monheim	Monheim	Germany	Merkur Spielbanken	4.000
Spielbank Dresden	Dresden	Germany	Sachsiche Spielbanken	510
Spielbank Leipzig		Germany	Sachsiche Spielbanken	751
Spielbank Chemitz	Leipzig Chemitz	Germany	Sachsiche Spielbanken	587
Spielbank Bad Dürkheim	Bad Dürkheim	Germany	Such Stelle Spielbariken	270
Spielbank Bad Neuenahr	Bad Neuenahr	Germany		
Spielbank Bau Nederlani	Dau Neueriaiii	Germany		700
Ring Casino	Nürburg	Germany		150
Spielbank Stralsund	Stralsund	Germany	Spielbanken Meklenburg	659
Spielbank Neubrandenburg	Neubrandenburg	Germany	Spielbanken Meklenburg	496
Spielbank Schwerin	Schwerin	Germany	Spielbanken Meklenburg	461
Spielbank Rostock	Rostock	Germany	Spielbanken Meklenburg	346
Spielbank Saarbrücken	Saarbrücken	Germany	Die Spielbank Saarland	1.520
Spielbank Neunkirchen	Neunkirchen	Germany	Die Spielbank Saarland	1.360
Spielbank Ludwigspark	Saarbrücken	Germany	Die Spielbank Saarland	530
Spielbank Glückspilz	Saarbrücken	Germany	Die Spielbank Saarland	375
Spielbank Schlossberg	Saarbrücken	Germany	Die Spielbank Saarland	880
Spielbank Saarlouis	Saarlouis	Germany	Die Spielbank Saarland	490
Spielbank Homburg	Homburg	Germany	Die Spielbank Saarland	480
Spielbank Flensburg	Flensburg	Germany	Spielbank SH GmbH Spielbank SH GmbH	450
Spielbank Schenefeld	Schenefeld Lübeck	Germany Germany	Spielbank SH GmbH	850
Spielbank Lübeck Spielbank Kiel	Kiel	Germany	Spielbank SH GmbH	450
Club Hotel Casino Loutraki	Loutraki	Greece	Queen Investments	3.650
Ferries	Patra-Ancone&Venice	Greece	Anek Lines S.A. /Avenir S.A.	300
Casino International	Batumi	Georgia	Casinos Austria	950
Casino Sunborn	Ocean Village	Gibraltar	PAF	
Casino Sopron	Sopron	Hungary	Casinos Austria International	850
Casino Scentendre	Szentendre	Hungary	Casinos Austria International	030
Casino Gyor	Gyor	Hungary	Casinos Austria International	
Casino Kecskemet	Kecskemet	Hungary	Casinos Austria International	
Casino Varkert	Budapest	Hungary		250
Codere (12x)	Rome	Italy	Operbingo	
Vincendo (5x)	Milan	Italy	Azzuro Gaming/Cogetech	
Adria Gaming Bolzano (3x)	Milan	Italy	Adria Gaming Bolzano	
Happy Games (4x)	Rome	Italy	BetPlus Gioco Legale	
Casino della Alpi	3 places	Italy	Adria Gaming Bolzano	
Casino di Campione d'Italia	Campione	Italy		
Casino de la Vallee	Aosta	Italy		100
Amusement City Dublin	Dublin	Ireland		
Regency Slot Casino	Nairobi	Kenia	Sky Gaming	218
Casino Flamingo	Nairobi	Kenya	Gamarent Dooel, Skopje, Macedonia	1.069
Casino Admiral	Ruggell	Liechtenstein	Admiral Casinos	2.486
Casino Admiral Casino Schaanwald	Triesen Schaanwald	Liechtenstein	Club Admiral AG Casinos Austria International	954
Casino Schaanwaid Casino 96 Balzers	Balzers	Liechtenstein Liechtenstein	Casinos Austria International	670
Grand Casino Liechtenstein	Gamprin-Bendern	Liechtenstein	APEX	590
Casino Maximus	Schaan	Liechtenstein	MCL-Resorts AG	2.100
Casino Plaza	Schaan	Liechtenstein	BestWin AG	860
LV Casino	Eschen	Liechtenstein	LV Investments AG	1.800
Casino Castle Vaduz	Vaduz	Liechtenstein	Castle Casino AG	1.050
Casino 2000	Mondorf-les-Bains	Luxembourg	Casino de Jeux Du Luxembourg	620
Hotel Casino Flamingo	Gevgelija	Macedonia	Novomatic	8.650
Casino Skopje	Skopje	Macedonia	Novomatic	500



CASINO LOCKING	3131EM3		REFERENCES			
CASINO	CITY	COUNTRY	Organization	#Locks		
M/V Sovereign	Cruise ship	Malta	Merkurmare Casino Itd	861		
M/V Zenith	Cruise ship	Malta	Merkurmare Casino Itd	569		
M/V Horizon	Cruise ship	Malta	Merkurmare Casino Itd	530		
M/V Monarch	Cruise ship	Malta	Merkurmare Casino Itd	966		
TUI Mein Schiff 1		Malta	Merkurmare Casino ltd	192		
TUI Mein Schiff 2		Malta	Merkurmare Casino Itd	161		
Casino Promotion	Bar	Montenegro	Escor Casino & Entertainment SA	750		
Casino Tanger	Tanger	Morocco	Queen Investments	300		
Les Loisires du Paradis	Agadir	Morocco	Queen Investments	1.350		
Mazagan Resort	El Jadida	Morocco	Kerzner	4030		
Casino Es Saadi	Marrakech	Morocco	Ferma DITM	620		
Holland Casino	14 Places	Netherlands	Holland Casinos	50.000		
Fair Play	4 Places	Netherlands	Janshen-Hahnraths Group BV.			
Casino Asta	Den Haag	Netherlands	Holland Leisure Group	625		
Palace Casino	Rotterdam (4x)	Netherlands	Holland Leisure Group	2.500		
Casino A13	Den Haag	Netherlands	Holland Leisure Group	360		
Casino Sir Winston	Rijswijk	Netherlands	Sir Winston Leisure Group B.V.	100		
Sir Winston Zoetermeer	Zoetermeer	Netherlands	Sir Winston Leisure Group B.V.	360		
IGT Europe		Netherlands	IGT	2000		
<u> </u>	Hoofddorp			500		
Bally Gaming Netherlands II	Badhoevedorp	Netherlands	Bally Technologies	500		
Merkur Casino	Amsterdam, Rotterdam, Hoofddorp, Almere, Emmen, Boskoop, Valkenburg	Netherlands	Merkur Casino	4.200		
Jack's Casino de Brug	A4 Hoofddorp	Netherlands	Jack van Ham			
Casino Sevens	Aalsmeer	Netherlands	Artopa	520		
Casino Sevens	IJmuiden	Netherlands	Artopa	240		
Casino Sevens	Ter Apel	Netherlands	Artopa	250		
Casino Sevens	Beverwijk	Netherlands	Artopa	385		
PlayWorld Casino	Made	Netherlands	Playworld	170		
Casino Copacabana	Valkenburg	Netherlands	PlayWorld	325		
Play World Casino	Almere Buiten	Netherlands	PlayWorld	360		
Play World Casino	Hoofddorp	Netherlands	PlayWorld	330		
Casino Palace	Bucharest	Romania	Queen Investments	1.200		
Casino Vesuvius	Brasov	Romania	SC Agra Invest	460		
Various arcades	Bucharest	Romania	Westgate	2.500		
Lotrom	Bucharest	Romania	Intralot	3.160		
Crystal Casino	Moscow	Russia		2.900		
Red Meadow Casino	Sochi	Russia	DOMEIN co Ltd	5.750		
Slot Hall	Sochi	Russia	DOMEIN co Ltd	1.440		
Roza Khutor Casino	Roza Khutor	Russia	DOMEIN co Ltd	2.367		
Casino Terrou Bi	Dakar	Senegal		605		
Casino Terrou Saly	M'bourr	Senegal		328		
Gran Casino d.o.o.	Belgrad	Serbia	Cas. Austria Int./Casino Loutraki	2.800		
Casino Ljubljana	Ljubljana	Slovenia	Domina	1.400		
Gran Casino Barcelona	Barcelona	Spain	Grupo Peralada	1.150		
Casino Peralada	Peralada, Girona	Spain	Grupo Peralada	393		
Casino Tarragona	Tarragona	Spain	Grupo Peralada	165		
Casino Mediterraneo	Alicante	Spain		200		
Gran Casino Costa Brava	Lloret de Mar	Spain		1.400		
Gran Casino Madrid	Madrid	Spain	Casino de Juego Gran Madrid	750		
Casino Gran Via Madrid	Madrid	Spain	Casinos Comar Madrid			
Casino Taoro	Puerto de la Cruz	Spain/Tenerife	Casinos de Tenerife	850		
Casino Playa de las Americas	Playa de las Americas	Spain/Tenerife	Casinos de Tenerife			
Jump Up Casino	Philipsburg	St Maarten	I.R.S.C. NV Jump Up	198		
Hollywood Casino	Simpson Bay	St.Maarten	Dutch Caribbean Resort NV	138		



CASINO LOCKING S		COLUMEDY	REFERENCES	
CASINO	CITY	COUNTRY	Organization	#Locks
Casino Sundsvall	Sundsvall	Sweden	Casino Cosmopol	1.400 2.300
Casino Malmö	Malmö	Sweden Sweden	Casino Cosmopol Casino Cosmopol	2.500
Casino Göthenborg Casino Stockholm	Göthenborg Stockholm	Sweden	Casino Cosmopol	3,300
			Casino Cosmopor	
Grand Casino Basel	Basel	Switzerland	Conings Avatuis Intermedianal	700
Casino Luzern Casino Baden	Luzern Baden	Switzerland Switzerland	Casinos Austria International	2.000
Casino Crans Montana	Crans Montana	Switzerland	Groupe Partouche	750
Casino du Lac Meyrin	Geneva	Switzerland	Groupe Partouche	1.300
Grand Casino Kursaal Bern	Bern	Switzerland	Casinos Austria International	2.500
Casino Mendrisio	Mendrisio	Switzerland	Admiral Casinos & Entertainment	1.600
Casino Schaffhausen	Schaffhausen	Switzerland	Swiss Casinos	1.800
Casino Pfäffikon	Pfäffikon	Switzerland	Swiss Casinos	1.500
Casino Lugano	Lugano	Switzerland	Casinos Austria International	3.500
Casino Davos	Davos	Switzerland		800
Casino St. Moritz	St. Moritz	Switzerland	Casinos Austria International	1.000
Casino Bad Ragaz	Bad Ragaz	Switzerland	Admiral Casinos & Entertainment	1.300
Casino St. Gallen	St. Gallen	Switzerland	Swiss Casinos	1.500
Casino Locarno	Locarno	Switzerland	Admiral Casinos & Entertainment	1.200
Casino Interlaken	Interlaken	Switzerland	Casino Interlaken AG	2000
Casino Zürich	Zürich	Switzerland	Swiss Casinos	3900
Casino Neuchâtel/Neuenburg	Neuchâtel	Switzerland	Neuchâtel-SA	1375
Casino de Montreux	Montreux	Switzerland	Groupe Barriere	150
Casino Aspers Newcastle	Newcastle	U.K.	Aspers Ltd.	1.900
Casino Swansea	Swansea	Wales	Aspers Ltd.	600
Casino Northampton	Northampton	U.K.	Aspers Ltd.	600
Casino Westfield Stratford City	London	U.K.	Aspers Ltd.	2.850
Casino Milton Keynes	Milton Keynes	U.K.	Aspers Ltd.	1.950
Les Ambassadeurs Club	London	U.K.		500
Crown London Aspinalls	London	U.K.	Aspinalls	150
The Corinthian Club	Glasgow	U.K.	Casinos Austria International	400
Rainbow Casino Birmingham	Birmingham	U.K.	Double Diamond Gaming Ltd	150
	-	U.K.	Rainbow Casino	235
Rainbow Casino Bristol	Bristol			
Rainbow Casino Cardiff	Cardiff	U.K.	Rainbow Casino	165
Rainbow Casino Aberdeen	Aberdeen	U.K.	Rainbow Casino	115
Rainbow Casino Teesside	Teesside	U.K.	Rainbow Casino	140
G Casino Coventry	Coventry	U.K.	Grosvenor	1.000
Resort World Birmingham	Birmingham	U.K.	Genting Solihull Ltd	
The Casino Hippodrome	London	U.K.		
Metropolitan Mayfair	London	U.K.	Metropolitan Gaming	
Manchester 235	Manchester	U.K.	Metropolitan Gaming	50
The Sportsman	London	U.K.	Metropolitan Gaming	45
Alea Glasgow Casino	Glasgow	U.K.	Metropolitan Gaming	70
Park Lane Club	London	U.K.	Metropolitan Gaming	35
The Empire Casino	London	U.K.	Metropolitan Gaming	40
Casino Laguna Mar	Porlamar/Isla Margarita	Venezuela		1.900
Corona Casino Resort	Phu Quoc	Vietnam	Phu Quoc Tourism Development and Investment Joint Stock Company	9.860

